




**TEKSON®**



**GET ACQUAINTED WITH TEKSON PRODUCTS**




# TEKSON®



**207003**

Tachograph charts 125 km/h  
TEKSON, 100 pcs/box



**207001**

Digital tachograph paper rolls  
TEKSON, 3x8 m



**207006**

TEKSON cleaning card  
for digital tachographs



**202051**

Air duster gun 13 kg/cm<sup>2</sup>



**202053**

Universal air duster gun  
13 kg/cm<sup>2</sup> (big head)



**202052**

Universal air duster gun  
13 kg/cm<sup>2</sup> (8 mm)



# TEKSON®

BRAND NEW

## DIGITAL TACHOGRAPH BATTERY, SUITABLE CONNECTOR

**13810001/T**

The best quality lithium thionyl chloride (LI-SOCl<sub>2</sub>) battery intended for digital tachographs. Ultra power.

- Nominal capacity: 1200 mAh
- Nominal voltage: 3.6V
- Max continuous current: 25 mA
- Max. pulse current: 50 mA
- Operating temperature range: -60 °C to +85 °C
- Expiration date: 5 years





# TEKSON®

## TOP PRODUCT

### UNIVERSAL AIR DUSTER GUN SET 10 kg/cm<sup>2</sup>

**202046**

- High quality air duster gun used for driver's cab cleaning
- Easy dust removal from hard-to-reach places
- 5 m long PU hose with 6 mm diameter
- Bending resistant, flexible hose with universal, T-shaped connector to be used in various truck models
- Max. pressure 10 kg/cm<sup>2</sup>





# TEKSON®

## TOP PRODUCT

### DEDICATED AIR DUSTER GUN SET 13 kg/cm<sup>2</sup>

**Scania 202047, Renault 202050,  
Iveco 202049, MP4 / DAF XF106 202048**

- High quality air duster gun used for driver's cab cleaning
- Easy dust removal from hard-to-reach places
- 5 m long PU hose with 8 mm diameter
- Bending resistant, flexible hose with connector dedicated for DAF, MERCEDES-BENZ, RENAULT, IVECO, SCANIA (depending on version each set includes 1 connector for one particular vehicle model)
- Max. pressure 13 kg/cm<sup>2</sup>



IVECO



RENAULT



DAF / MERCEDES



SCANIA



# TEKSON®



**202055**

Plastic quick connector  
(4, 5, 6, 8, 10, 12 mm)



**202054**

Steel quick connector  
(4, 5, 6, 8, 10, 12 mm)



**202003** (19/24 mm), **202004** (30/32 mm),  
**202001** (27/30 mm), **202002** (32/33 mm)

Spanner, L = 395 mm with tommy bar



**202020**

8 sockets  
(21, 24, 27, 30, 32, 33, 36, 38 mm)



**202008**

Pneumatic vacuum cleaner



**209000**

Floor jack 2 t hydraulic




# TEKSON®

**MANDATORY!**

## BLIND SPOT STICKER

**TIR 207017, BUS 207016**

Blind spot stickers for heavy goods vehicles > 3,5 t and buses travelling in France. From 01.01.2021, it is prohibited to drive a vehicle in France without such markings. The stickers, in the case of a semi-trailer tractor coupled to a semi-trailer, should be positioned at the appropriate heights: 2 on the side of the tractor, 2 on the side of the semi-trailer and 1 on the rear of the semi-trailer.







# TEKSON®



**208002 (M16), 208003 (M22)**

Pneumatic air hose 6 m, PUR, red



**208000 (M16), 208001 (M22)**

Pneumatic air hose 6 m, PUR, yellow



**208005**

Tyre hose, 18 m with quick connector



**208004**

Tyre hose 18 m



**202056**

Tyre inflator gun with gauge



**CAR MAT**

Available for different vehicle models,  
black / grey color






**TEKSON®**

NEW PRODUCT

## METRIC O-RING ASSORTMENT KIT 419 pcs

202007

- Colour: black
- Material: nitrile (NBR)
- Cross Section Type: circular
- O-ring type: metric
- The Hardness: 65-70 HA
- Maximum Temperature: 100-120 °C
- Minimum Temperature: -15 °C





# TEKSON®

## TOP PRODUCT

### TORQUE WRENCH 1:58 2 SOCKETS SET

**202040**

- Compact, robust and designed for professionals
- Loosens the tightest wheel nuts on trucks and other heavy vehicles
- Delivers a ratio 1:58, giving maximum torque output of 5200 Nm
- Made of high grade alloy steel in the process of fine heat treatment
- Black, sturdy case to hold all the components of the kit: torque wrench, 32 mm and 33 mm sockets and safety gloves





# TEKSON®

## TOP PRODUCT

### TORQUE WRENCH 1:58 7 SOCKETS SET

**202041**

- Compact, robust and designed for professionals
- Loosens the tightest wheel nuts on trucks and other heavy vehicles
- Delivers a ratio 1:58, giving maximum torque output of 5200Nm
- Made of high grade alloy steel in the process of fine heat treatment
- Black, sturdy case to hold all the components of the kit: sockets 21/24/27/30/32/33/38 mm, torque wrench and safety gloves





# TEKSON®

## TOP PRODUCT

### **FOLDING CAR CREEPER BOARD** **2-in-1 crawler & stool seat garage workshop**

**209002**

- Folding car creeper board for garages, workshops and for private use
- Ensures comfortable work near a vehicle or below
- Easily folded into a convenient workshop stool seat
- 7 rotatable wheels
- Load capacity: 135 kg
- Made of: steel + PU + PP





# TEKSON®

ALSO AVAILABLE

## ROLLING CAR CREEPER

**209001**

- Recommended for professional use in garages and workshops
- Ergonomic, contoured shape that allows to maintain good condition of the spine
- Load capacity: 155 kg
- Made of: PE
- Colour: red







# TEKSON®




**204004**

Anti-theft fuel cap lock  $\varnothing 80$ ,  
fixing on the cork



**204005**

Anti-theft fuel cap lock  $\varnothing 60$ ,  
fixing on the cork



**204001**

Anti-theft container door lock  
L = 256÷342 mm, stainless steel



**204003**

Anti-theft container door lock  
L = 230÷425 mm, printed



**204002**

Anti-theft container door lock  
L = 225÷340 mm, printed



**202010/202030**

Plastic wheel chock, 470x200x230 mm,  
bracket for wheel chock



# TEKSON®

NEW PRODUCT

## WRIST MAGNETIC HOLDER WITH ADJUSTABLE STRAP

202005

A convenient device to attract and collect bolts or nails. Sturdy, nylon strap fits comfortably on any wrist size.







# TEKSON®



**182097**

Protector textile for lashing strap



**182099**

Quick roll for lashing straps



**185001**

Anti-slip pad  
6x250x5000 mm / 1,25 m<sup>2</sup>



**185002**

Anti-slip pad  
8x250x5000 mm / 1,25 m<sup>2</sup>



**184002**

Edge protector 197x162 mm, black, flexible



**184000**

Edge protector 205x160 mm, black

**CARGO BARS ALSO AVAILABLE!**



# TEKSON®


## TOP PRODUCT

### ALUMINIUM CARGO PLANK

**L = 2400÷2700 mm, DEKRA, 7.244 kg (new profile)**

**183006**

- Professional, aluminum cargo plank
- Protects the goods against shifting and separates these during the transport
- For tilt semi- trailers, with the possibility of jamming and blocking the plank on side boards
- DEKRA approved
- Length: 2400–2700 mm
- Weight: 7,244 kg
- Max.load capacity: 400 daN



**DIFFERENT CARGO PLANKS AVAILABLE!**



# TEKSON®

## TOP PRODUCT

### **LASHING STRAP 10m/50mm/5t a set with a pull-type ratchet 500 daN ERGO**

**181020**


TÜV SÜD and GS trademark, which confirms compliance with the EN standards.

#### **CLAMPING FORCE:**

- STF: 500 daN
- LC: 2500 daN / 5000 daN
- Short part: 0,5 m
- Long part: 9,5 m
- Width: 50 mm
- Elongation: 5%

#### **4 LENGTHS AVAILABLE:**

6 m, 8 m, 10 m, 12 m



**ALSO AVAILABLE DIFFERENT LASHING STRAPS!**



# TEKSON®

## TOP PRODUCT

### **LASHING STRAP 10m/50mm/5t** **a set with a pull-type ratchet 350 daN**

**180020**

TÜV SÜD and GS trademark, which confirms compliance with the EN standards.

#### **CLAMPING FORCE:**

- STF: 350 daN
- LC: 2500 daN / 5000 daN
- Short part: 0,5 m
- Long part: 9,5 m
- Width: 50 mm
- Elongation: 5%

#### **4 LENGTHS AVAILABLE:**

6 m, 8 m, 10 m, 12 m



**ALSO AVAILABLE DIFFERENT LASHING STRAPS!**



# TEKSON®

## TOP PRODUCT

### WEBBING SLING BELTS

- Webbing slings belts for general purpose, used for lifting of various objects, materials or goods
- Colour coded to represent the working load limit (WLL)
- Made from polyester
- EN1492-2 conform, TÜV SÜD certified



Lifting sling 1 m / 30 mm / 1 t  
with eyes at both ends, violet

**189000/1**



Lifting sling 1 m / 60 mm / 2 t  
with eyes at both ends, green

**189001/1**



Lifting sling 1 m / 90 mm / 3 t  
with eyes at both ends, yellow

**189002/1**



Lifting sling 2 m / 120 mm / 4 t  
with eyes at both ends, grey

**189003/2**



Lifting sling 2 m / 150 mm / 5 t  
with eyes at both ends, red

**189004/2**



ASK FOR OTHER WEBBING SLING BELTS!





# TEKSON®

## TOP PRODUCT

### 3-POINTS LASHING STRAP 2,5 m or 3,5 m

Easy to use ratchet tie down straps ideal to secure safely most cars, quad bikes and other to the trailer for transport. Each strap is 100% heavy-duty polyester in a high visibility colour. Available options:




Available with a „J” hook or swivel hook



Available with a plastic or rubber handle



Available with green, protective tube



ASK FOR DIFFERENT LASHING STRAPS IN TEKSON OFFER!





# TEKSON®



## TEKSON BLACK / WHITE

Protective gloves made from polyester, coated polyurethane, finished with welt. EN 388 4131X, EN 420, CAT II.



## TEKSON DURABLE

Full-handed protective gloves made from the cow-split leather. Finished with rigid, rubber cuff. EN 388 4244X, EN 420, CAT II.



## TEKSON SOLID

Goat leather, protective gloves, american cut. The outer part is made of black jersey. EN 388 2111X, EN 420, CAT II.



## TEKSON PRACTICAL

Goat leather, protective gloves, american cut. Finished with Velcro. The outer part is made of elastic, black jersey. EN 388 2111X, EN 420, CAT II.





# TEKSON®

## NEW PRODUCT

### TEKSON BLUE LATEX PALM SAFETY GLOVES

Protective gloves, coated with blue, rough latex up to half a hand. The glove has a polyester liner, which perfectly fits to the hand. Very elastic. Finished with a soft welt. Perfect for all kinds of mechanical work.

Standards: EN 388 3131X  
EN 420, II category

Colour: white and blue

Packed: 12/240 pairs

Sizes: 8, 9, 10

Codes: **220010 (size 8)**  
**220011 (size 9)**  
**220012 (size 10)**



ASK FOR DIFFERENT PPE ASSORTMENT



# TEKSON®

## TOP PRODUCT

### TACHOGRAPH TESTER TT2010 FOR TACHOGRAPH WORKSHOPS

TT2010 Tachograph Tester is used to perform installation, verification, inspection, and reparation of analogue and digital tachographs, including smart tachographs, in accordance with the requirements of Regulation (EU) No 165/2014 of the European Parliament and of the Council of February 4, 2014.

- Automatic type recognition for digital tachographs
- Allows automatic parameters setup by vehicle brand for universal tachographs
- Motion sensors check possibilities, including current supply measuring
- Available report generation for digital tachograph check, DSRC module and motion sensor
- Printout of the digital tachograph installation plate on a label printer
- TT2010 device software remote update





# TEKSON®

## TOP PRODUCT

### 3D TACHO DIGITAL DATA DOWNLOADER

Designed to download data from all digital and smart tachographs.

- 8 GB of internal memory
- A built-in card reader
- Option to configure three data downloading modes
- Powered by batteries AA 1,5V (included)
- Damage resistant casing
- Option to download special data from tachographs
- Data download progress notification visible on device casing
- High speed data downloading
- Powered possibilities from a tachograph or USB port





# TEKSON®

## TOP PRODUCT

### DTM2015 DSRC FOR CONTROL AUTHORITIES

DTM2015 road manipulation tester is used to check digital tachographs, its vehicle installation and motion sensor for correct installation and manipulation attempts.

- Relevant for the latest smart tachographs
- Pre-selection using DSRC technology for remote tachograph monitoring
- RTM parameter analysis for stationary and dynamic vehicle unit readings
- Possibility to read all calibration parameters, DTC errors and digital tachograph settings.
- Motion sensors data check possibilities, including current supply measuring
- Automatic inspection report generation for vehicle unit installation, motion sensor and DSRC module available






# TEKSON®

## TOP PRODUCT

### DSRC RTM HS / RP / VISUAL FOR CONTROL AUTHORITIES

Universal system for remote smart tachograph monitoring used for vehicles pre-selection at full speed.

- Various stationary and dynamic installation possibilities, like suitable for road gantry, rode pole, tripod, and inspection vehicle installation (inside / outside)
- Supports following DSRC transceivers: VDO Continental, Q-free, EFKON
- Photos of passing vehicles from 2 cameras possible
- Two dedicated user interfaces: PresTacho for Windows and Perfect Driver for Android
- RTM parameter filtering and analysis options available







# TEKSON®

## TOP PRODUCT

### GPS MONITORING INCLUDING e-TOLL APPLICATION + MONITORING DEVICE

- Multiple vehicles real time tracking
- Archive of routes and mileage performed over a given period
- Possibility of enabling data transmission to KAS (e-TOLL)
- Access to the platform via phone and computer, 24 hours a day
- Generation of detailed reports such as master report, fuel, routes and stops, zones / POIs, both for individual vehicles and for the entire fleet
- Full technical support from qualified specialists
- Various locator models are available to suit the variant option selected



CHEAPER AS A PACKAGE! ASK FOR GPS MONITORING



# TEKSON®

## OPTIONS

Vehicle tracking on a map  
Location history  
Speed and mileage reports  
Technical support  
Fuel consumption reports, ecodriving  
Downloading of tachograph and driver card data  
Expansion service including driver time accounting available

GPS	GPS CAN	GPS CAN & Tacho
✓	✓	✓
✓	✓	✓
✓	✓	✓
✓	✓	✓
	✓	✓
		✓



WITH e-TOLL SERVICE AND GUARANTEE!





# TEKSON®

## TOP PRODUCT

### TACHOGRAPH TRAINING STATION FOR TRAINING ENTITIES


TEKSON training station can be considered for trainings on tachographs for the targeted audience such as professional drivers, workshop technicians and for tachograph operation simulation in a vehicle.

- Allows to simulate the vehicles speed, ignition and headlights switch
- Easy access to all tachograph outputs and motion sensor
- Possibility for a quick vehicle unit replace with another tachograph like: different digital, SMART, 1324 or VR 2400
- Tailor made, custom logo individualization on the front print is possible
- Its compact dimensions and durable suitcase with a stable but light construction allow easy transportation



THE SIMPLE WAY TO SAFETY

---





CONTACT

TRUCK & TRAILER PARTS

CARGO SECURING

TOOLS & ACCESSORIES

[www.tekson.eu](http://www.tekson.eu)

---